Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	113471	(inertial or acceleration or (yaw rate)) and sensor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/22 09:56
S2	24487	S1 and processor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 16:17
S3	0	S2 and (digital transmissoin)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 16:19
S4	15895	S2 and digital	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 16:19
S5	12116	S4 and (@ad<"20020822" or @pd<"20020822" or @prad<"20020822" or @rlad<"20020822")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 16:21
S6	660	S5 and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON .	2007/01/09 16:22
S7	27250	(inertial or acceleration or (yaw rate)) adj sensor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON ·	2007/01/09 16:25
S8	4296	S7 and processor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 16:25

S9	1053	S8 and ((digital or data) near5 (transfer or transmission))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ .	ON	2007/01/09 16:28
S10	43	S9 and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 12:58
S13	1	("6243000").PN.	US-PGPUB; USPAT	OR .	OFF	2007/01/11 13:00
S14	1	("6208247").PN.	US-PGPUB; USPAT	OR	OFF	2007/01/11 13:12
S15	1	("6204768").PN.	US-PGPUB; USPAT	OR	OFF	2007/01/11 13:12
S16	5897	inertial near5 sensor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/16 15:37
S17	4416	S16 and (@ad<"20020822" or @pd<"20020822" or @prad<"20020822" or @rlad<"20020822")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:15
S18	1337	S17 and processor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:16
S19	954	S18 and digital	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:17
S20	221	S19 and (data (transfer or transmission))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:18

		· · · · · · · · · · · · · · · · · · ·	r	T		
S21		"6765498"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ .	ON	2007/01/16 15:37
S22	9581	mason.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/16 15:39
S23	234	mason a.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ .	ON	2007/01/16 15:42
S24	0	(a genric multielement microsystem for portable wireless applications). ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/16 15:44
S25	0	(a generic multielement microsystem for portable wireless applications).ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ `	ON	2007/01/16 15:44
S26	8628	digital near sensor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/17 08:34
S27	2765	digital adj sensor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/17 08:44
S28	2829	inertial adj sensor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/17 08:44

						
S29	25	S27 and S28	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/17 13:02
S30	323	S26 and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/17 13:02
S31	2997	microsensor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/18 08:11
S32	2431	microsensor and (@ad<"20020822" or @pd<"20020822" or @prad<"20020822" or @rlad<"20020822")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/18 08:12
S33	963	S32 and (inertial or acceleration or digital or (yaw rate) sensor)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/18 08:14
S34	701	S33 and digital	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/18 17:43
Ş35	20	S34 and "700"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/18 08:14
S36	195198	data transmission	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON ·	2007/01/18 17:43

	1					
S37	1858	S36 and (error bit)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/18 17:44
S38	960	S37 and status	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/18 17:44
S39	405	S37 and (status bit)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/18 17:45
S40	177	S39 and sensor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/18 17:45
S41	99	S40 and (@ad<"20020822" or @pd<"20020822" or @prad<"20020822" or @rlad<"20020822")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ .	ON	2007/01/18 18:06
S42	0	S41 and inertial	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ .	ON	2007/01/18 18:06
S43	99	S41 and control	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/18 18:08
S44	0	S41 and digital sensor	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/18 18:07

S45	35789	"700"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/22 09:57
S46	27	S45 and (data (transfer or transmission or communication)) and (error bit) and (status bit)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/22 10:37
S47	367	sensor and (data (transfer or transmission or communication)) and (error bit) and (status bit)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/22 10:38